



Material Safety Data Sheet


Rev. 1

Page 1 of 7

Section 1 - Product and Company Identification

| | |
|-------------------------------------------------------------------------------------|------------------------------|
| Product name : DT-102 | |
| Other names : -- | |
| Product use : -- | |
| Supplier's name : San Fu Chemical Co., Ltd., Shan Hua Plant | |
| Supplier's address : 340 Hsiao Hsin Li, Shan Hua Town, Tainan Hsien, Taiwan, R.O.C. | |
| Supplier's phone : 06-5837608 | Emergency phone : 06-5837608 |
| FAX. : 06-5839498 | |

Section 2 - Hazards Identification

| |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Classification :</p> <ol style="list-style-type: none">1. Flammable liquid Category 42. Acute toxicity Category 4 (oral)3. Acute toxicity Category 4 (skin)4. Acute toxicity Category 4 (inhalation)5. Skin Corrosion/ irritation Category 1B6. Serious eye damage/ irritation Category 17. Respiratory tract sensitization Category 18. Skin Sensitization Category 19. Reproductive system toxicity Category 1B10. Specific target organ systemic toxicity – single exposure Category 111. Specific target organ systemic toxicity – repeated exposure Category 212. Hazardous to the aquatic environment (acute) Category 3 |
| <p>The Most Important Hazards and effect</p> <p>Label element :</p> <ul style="list-style-type: none">■ Hazard symbol : Health Hazards, Corrosion, Exclamation mark <div style="text-align: center;"></div> <ul style="list-style-type: none">■ Signal word : Danger <p>Hazard statement :</p> <ol style="list-style-type: none">1. Flammable liquid2. Harmful if swallowed3. Maybe harmful with skin contact4. Cause severe skin burn and eye damage5. May cause skin sensitization6. Harmful if inhaled7. May cause sensitization or asthma or dyspnea8. May cause disability in9. Harmful to the aqua livings10. Cause organ damage (nervous system, liver)11. Long term or repeated exposure may cause organ damage <p>Precautionary statement :</p> <ol style="list-style-type: none">1. Having the user's manual before operating |



Material Safety Data Sheet

Rev. 1

Page 2 of 7

2. Understand the precautions before operating.
3. Away from the source of the heat, sparks and open flame- strictly no smoking.
4. Do not inhale the dust, smoke, gas, vapor spray.
5. Wash the hands thoroughly after operation.
6. While using this product, do not eat, drink or smoke.
7. Operate only in outdoor or well-ventilated environment.
8. Do not allow taking out the contaminated clothing.
9. Avoid releasing the substance into the environment.
10. Wear protective gloves/ clothing and wear goggles/ mask.
11. Require respiratory protective mask if working in the bad ventilation area.
12. Consult the doctor or drug emergency center if swallowed and felt uncomfortable.
13. Rinse the mouth if swallowed. But do not induce vomiting.
14. Take out the contaminated cloth immediately. Wash or shower the contaminated skin if contact with skin or hair.
15. Move the patient into the air fresh area if inhaled. Maintain the well breathing position while resting.
16. Wash the contaminated eye for several minutes. Take off the contact lens if possible.
17. Seek the medical attention immediately.
18. If causing skin sensitization or rash, seek the medical attention immediately.
19. Cloth could be reused after wash.
20. Practice the treatment completely. (Refer to the first aid method on the label.)
21. Use foam, powder or CO₂ to distinguish the fire.
22. Store in the cool, well-ventilated place.
23. Store in a place with the lock.
24. Follow the local regulation to manage the substance and containers.

Others Hazard : --

Section 3 - Composition/Information on Ingredients

Mixture :

| Component or impurities contributing to the hazard | Concentration or concentration range (%) | CAS No. |
|----------------------------------------------------|--------------------------------------------|----------|
| N,N-Dimethylacetamide | 45~55% | 127-19-5 |
| Ethanolamine | 45~55% | 141-43-5 |

Section 4 - First Aid Measures

The First-aid Information :

■ Inhalation :

1. Remove the contamination or move the patient to the air fresh place.
2. Seek the medical attention immediately.

■ Skin Contact :

1. Avoid contact directly with this substance; wear the impervious gloves if possible.
2. Wash the contaminated place with gentle flowing water for at least 20 minutes.



Material Safety Data Sheet

Rev. 1

Page 3 of 7

| |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none">3. Remove contaminated clothing, shoes, and leather product during flushing.4. Seek the medical attention immediately.5. Wash the contaminated clothing, shoes, and leather product before reuse or dispose. <p>■ Eye Contact :</p> <ol style="list-style-type: none">1. In case of contact, immediately flush eyes with gentle water for at least 30 minutes till the contamination is removed. Keep eyelid apart and away from eyeballs during irrigation.2. Avoid the sewage touch the unaffected eye.3. Seek the medical attention immediately. <p>■ Ingestion :</p> <ol style="list-style-type: none">1. Do not induce vomiting.2. Provide large amount of water. (if possible, provide the active carbon paste)3. If the patient loss of consciousness or cramp, don't give any food.4. Seek the medical attention immediately. |
| The Most Important Symptoms and Hazardous Effects : -- |
| Protection of First-aiders : <ol style="list-style-type: none">1. Do not practice Mouth-to-mouth resuscitation.2. Wear category C protective equipments to avoid contact with this substance. |
| Notes to a Physician : Active carbon paste preparation method: mix well with the active carbon 50g and water 400ml(about 2 cups) |

Section 5 - Fire Fighting Measures

| |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extinguishing Media : foam, chemical powder, CO ₂ |
| Specific Hazards when Fire-fight : Evacuate the staff into the safety area |
| Specific Fire-fighting Procedure : -- |
| Specific Protection of Firefighters : Fireman must wear full chemical protective clothing and air breathing apparatus. (wear aluminum mirage protecting coat if necessary) |

Section 6 - Accidental Release Measures

| |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal Precautions : Wear proper protective equipments |
| Environmental Precautions : <ol style="list-style-type: none">1. Process aeration in the area before the cleaning in the indoor area.2. Do not empty into the rivers to cause .the affection of the environments |
| Methods for Cleaning up : <ol style="list-style-type: none">1. Plugging.2. Use inert material to absorb the substance (sand, plastic acidic binder, general binder, sawing wood powder)3. Evacuate the personnel from the contaminated area to safety place and processing the separation. Restrict access the area.4. The cleaning staff should wear Positive Pressure Self-Contained Breathing Apparatus and anti hazardous clothing.5. Cut off the source of the leakage if possible.6. Avoid empty into the limited space such like sewer, drainage etc. |



Material Safety Data Sheet

Rev. 1

Page 4 of 7

Section 7 - Handling and Storage

| |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Handling :</p> <ol style="list-style-type: none"> 1. Avoid inhale this substance. 2. Avoid contact with skin, eyes, and cloth. 3. Wash the hand immediately before taking a rest and after operating this substance. 4. Wash the contaminated clothing before reuse. 5. Operate in the confined area and fully ventilated. 6. Operators must undergo the professional training and strictly follow the operating procedure. 7. Away from the source of the fire and heat. Strictly no smoking in the working area. 8. Avoid leaking of the vapor into the airborne of the working area. ° 9. Precaution during transport. Avoid damage in container and packaging. 10. Should have the leaking emergency equipments and appropriated Fire Equipments. |
| <p>Storage :</p> <ol style="list-style-type: none"> 1. Store in the cool, well ventilation room. 2. Tightly sealed the container. 3. Should have appropriated Fire Equipments. 4. Should have the leaking emergency equipments and appropriated collecting material in the storage area. |

Section 8 - Exposure Controls & Personal Protection

| <p>Engineering measures :</p> <ol style="list-style-type: none"> 1. Install proper ventilation equipments for aeration. 2. Install the emergency showering and eye washer equipments. | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------|----------------------|
| Control parameters | | | |
| TWA | STEL | Ceiling | Biological standards |
| N , N Dimethyl Acetamide 10ppm (skin) 36mg/m ³ | -- | -- | -- |
| Ethanolamine 3ppm 7.5mg/m ³ | 6 ppm | | |
| <p>Personal protective equipment :</p> <ul style="list-style-type: none"> ■ Respiratory Protection : If the vapor is generated, required compound air purifying respirator. ■ Hand Protection : Wear rubber gloves. ■ Eye Protection : Wear chemical protective goggles and anti splash mask. ■ Skin and Body Protection : Wear protective clothing with the characteristics mentioned above and rubber boots. | | | |
| <p>Hygiene measures :</p> <ol style="list-style-type: none"> 1. Remove contaminated clothes, clean thoroughly before reuse or disposal. Must advise the danger to the laundry worker. 2. Smoking, eating and drinking are prohibited in work area. 3. Wash hands thoroughly after handing this substance. 4. Maintain a clean working environment. | | | |



Material Safety Data Sheet

Rev. 1

Page 5 of 7

Section 9 - Physical & Chemical Properties

| | |
|----------------------------------------|----------------------------------|
| Appearance : orange yellow, red liquid | Odor : ammonia smell |
| Olfactory threshold: -- | Melting Point: -- |
| pH value : acidic | Boiling point/boiling range : -- |
| Flammability: -- | Flash point : 78°C |
| Decomposition temp : > 350 °C | Test method : closed cup |
| Auto ignition temp : > 350 °C | Explosion properties : -- |
| Vapor pressure : -- | Vapor density : -- |
| Density : 0.966(25°C) | Solubility : fully water soluble |
| log Kow : -- | Evaporation Rate : 50~75% |

Section 10 - Stability & Reactivity Data

| |
|-----------------------------------------------------------------------|
| Stability : Stable in the normal condition. |
| Possible hazardous reactions under specific conditions : No reaction. |
| Conditions to avoid : >350 °C |
| Materials to avoid : -- |
| Hazardous decomposition products : -- |

Section 11 - Toxicological Information

| |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Route of exposure : Skin, inhalation, ingestion, eyes |
| Symptoms : Irritation, nausea, vomit, stomachache, convulsion, coma, skin sensitization. |
| Immediate Toxicity : <ol style="list-style-type: none">1. Skin : Cause skin irritation.2. Inhalation : No info.3. Eye : Cause eye irritation4. Ingestion : Cause headache, nausea, vomit, gastrointestinal tract irritation, convulsion, coma.<ul style="list-style-type: none">● LD₅₀: 3000~6000 mg/kg (rat 、oral) (N , N Dimethyl Acetamide)● LD₅₀: 2240~9600 mg/kg (rat 、skin) (N , N Dimethyl Acetamide)● LC₅₀: 2.2 mg/L (rat 、inhalation) (N , N Dimethyl Acetamide)● LD₅₀: 1515~3320 mg/kg (rat 、oral) (2-Ethanolamine)● LD₅₀: 1025 mg/kg (rat 、skin) (2-Ethanolamine)● LC₅₀: -- mg/L (rat 、inhalation) (2-Ethanolamine) |
| Specific effects : Repeated dose through oral pathological change: abnormal reduction of the red blood cells in stomach, testicle , liver and kidney.(Anemia) Repeated dose through inhalation Affected in kidney, liver and damage of retinal. |



Material Safety Data Sheet

Rev. 1

Page 6 of 7

Section 12 - Ecological Information

| |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ecotoxicology : <ul style="list-style-type: none">■ LC₅₀(fish) :<ol style="list-style-type: none">1. Semi-lethal concentration (LC₅₀) 96 h Fathead minnow 1,500 mg (N , N-Dimethyl Acetamide)2. Semi-lethal concentration (LC₅₀) 96 h > 150 mg (2-Ethanolamine)■ EC₅₀(Aquatic Invertebrates) : --■ Bioconcentration factor (BCF) : -- |
| Persistence and degradability : -- <ul style="list-style-type: none">■ Half-Life (Air) : --■ Half-Life (Water surface) : --■ Half-Life (Groundwater) : --■ Half-Life (Soil) : -- |
| Bioaccumulative potential : -- |
| Mobility in soil : -- |
| Other adverse effects : -- |

Section 13 - Disposal Considerations

| |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methods of disposal : <ol style="list-style-type: none">1. Dispose the empty containers; the attachment of the inboard container must be totally eliminated.2. To entrust the accredited waste disposal industry. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Section 14 - MSDS Transport Information

| |
|------------------------------------------------------------------------|
| UN classification number : 3625 |
| Proper D.O.T Shipping Name : Corrosive liquid, acidic, organic, n.o.s. |
| Hazard Class : 8 |
| Packing Group : III |
| Marine pollution : none |
| Specific precautionary transport measures and conditions : -- |

Section 15 - Regulatory Information

| |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Regulations : <ol style="list-style-type: none">1. Regulations for Labor Safety and Health Installations2. Regulations for Chemical Hazard Communication3. Permissible Exposure Limits of Hazardous Substances in the Work Environment4. Road Traffic Safety Regulations5. Industrial Waste Storage and Disposal Regulations and Facility Standards6. Public Hazardous Materials and Flammable Pressurized Gases Establishment Standards and Safety Control Regulations |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



Material Safety Data Sheet

Rev. 1

Page 7 of 7

Section 16 - Other Information

| | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|----------|------------------|
| Literature references | MSDS from manufacturer database | | |
| Prepared by | Supplier : San Fu Chemical Co., Ltd. Shan Hua Plant | | |
| | Address : 340 Hsiao Hsin Li, Shan Hua Town, Tainan Hsien, Taiwan, R.O.C. | | |
| | TEL : 06-5837608 | | FAX : 06-5839498 |
| | Name : Chunfel Chang | | |
| Issue date | 2009/7/1 | Revision | 1 |
| Remarks | Symbols Explanations: "--" No information is available at this time. "/" Not applicable to this substance. | | |
| ■ This information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes. In no event shall San Fu liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if San Fu has been advised of the possibility of such damages. | | | |