



Safety Data Sheet



Rev. 1

Page 1 of 6

Section 1 - Product and Company Identification

| |
|---|
| Product name : Oxalic Acid (Aqueous solution)(ITO-Etch) |
| Other names : -- |
| Product use : cleanser for car radiators, metals and instruments ; purified reagent ; chemical intermediates ; reagents ; catalytic agents ; decolorants ; bleaching agents ° |
| Supplier's name : San Fu Chemical Co., Ltd., Shan Hua Plant |
| Supplier's address : 1,Sec.1,Huanyuan E..Rd.,Liuying Dist.,Tainan, Taiwan 736. |
| Supplier's phone : 886-6-6231821 Emergency phone : 886-6-6231821 |
| FAX. : 886-6-6231822 |

Section 2 - Hazards Identification

| |
|---|
| Classification : 1. Metal corrosion Category 1 2. Corrosion / irritation of skin material Category 1 3. Serious injury / eye irritation substances Category 1 4. Reproductive toxicity Category 2 |
| The Most Important Hazards and effect Label element : ■ Hazard symbol : Corrosion, health hazards mark   ■ Signal word : Danger |
| Hazard statement : 1. May be corrosive to metal 2. Causes severe skin burns and eye damage 3. Cause serious eye damage 4. suspected of fertility or fetal harm |
| Precautionary statement : 1. Wear proper protective clothing, gloves, goggles / masks 2. If contact with eyes, immediately wash with large amount of water, seek medical attention after 3. Once contaminated clothing, immediately take off 4. Obtain instructions before use. 5. In the understanding of all safety precautions before Do not dispose of |
| Others Hazard : -- |

Section 3 - Composition/Information On Ingredients

Mixture :

| Component or impurities contributing to the hazard | Concentration or concentration range | CAS No. |
|--|--------------------------------------|----------|
| Oxalic Acid | 3.4~3.6% | 144-62-7 |



Safety Data Sheet

Rev. 1

Page 2 of 6

| | | |
|------------|--------|----|
| Surfactant | < 0.1% | -- |
|------------|--------|----|

Section 4 - First Aid Measures

| |
|--|
| The First-aid Information : <ul style="list-style-type: none">■ Inhalation : Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician immediately.■ Skin Contact : In case of contact, wipe off excess from skin then immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing, shoes, and leather products. Wash clothing thoroughly before reuse. Call a physician immediately.■ Eye Contact : Immediately flush eyes with gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Try not to contaminate the unaffected area. Call a physician immediately.■ Ingestion : DO NOT INDUCE VOMITING! Give large quantities of limewater or milk to drink. Never give anything by mouth to an unconscious person. Call a physician immediately. |
| The Most Important Symptoms and Hazardous Effects : -- |
| Protection of First-aiders : Wear self-contained breathing apparatus with full face piece in positive pressure mode and proper protective clothing. |
| Notes to a Physician : inform the exposed way |

Section 5 - Fire Fighting Measures

| |
|---|
| Extinguishing Media : Water spray, dry chemical, or carbon dioxide. |
| Specific Hazards when Fire-fight : Burning may produce carbon monoxide, or carbon dioxide. |
| Specific Fire-fighting Procedure : In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode. |
| Specific Protection of Firefighters : As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH and full protective gear |

Section 6 - Accidental Release Measures

| |
|--|
| Personal Precautions : <ol style="list-style-type: none">1. Wear appropriate personal protective equipment as specified in Section 8.2. Keep unnecessary and unprotected personnel from entering.3. Do not inhale the dust.4. Restrict access to area until completion of clean up.5. Minimize dust generation and accumulation.6. Well ventilate the area. |
| Environmental Precautions : <ol style="list-style-type: none">1. Remove all sources of ignition.2. Ventilate area of leak or spill. |
| Methods for Cleaning up : Clean up spills in a manner that does not disperse dust into the air. Use non-sparking tools |



Safety Data Sheet

Rev. 1

Page 3 of 6

and equipment. Pick up spill for recovery or disposal and place in a closed container. Remove unnecessary people. If material comes in contact with water, neutralize liquid with alkaline material (soda ash, lime), then absorb with an inert material (e.g. vermiculite, dry sand, earth) and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer.

Section 7 - Handling and Storage

| |
|--|
| Handling : <ol style="list-style-type: none"> 1. Protect against physical damage. 2. Keep the container closed while not use. 3. Well ventilation. 4. No specific temperature requirement for the storage area. |
| Storage : <ol style="list-style-type: none"> 1. Keep in a tightly closed container, store in a cool, dry, ventilated area away from sources of heat, moisture and incompatibilities. 2. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. |

Section 8 - Exposure Controls & Personal Protection

| Engineering measures : <ol style="list-style-type: none"> 1. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. 2. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. | | | |
|--|------|---------|----------------------|
| Control parameters | | | |
| TWA | STEL | Ceiling | Biological standards |
| -- | -- | -- | -- |
| Personal protective equipment : <ul style="list-style-type: none"> ■ Hand Protection : Consider imperative gloves. ■ Eye Protection : Wear chemical splash goggles and mask. ■ Respiratory protection : Required Dust mask. ■ Skin and Body Protection : Wear appropriate protective gloves to prevent skin exposure. ■ Clothing: Wear appropriate protective clothing to prevent skin exposure. | | | |
| Hygiene measures : <ol style="list-style-type: none"> 1. Immediately take off the contaminated clothes after handling. 2. Clean thoroughly before reuse or disposal. 3. Must advise the danger to the laundry worker. 4. Smoking and eating are prohibited in the work area. 5. Wash hand thoroughly after handing 1. Maintain the cleanness of the workplace. | | | |

Section 9 - Physical & Chemical Properties

| | |
|----------------------------|----------------------------------|
| Appearance : Liquid | Odor : odorless |
| Colour : Colorless | Melting Point: -- |
| pH value : 1.0 (3.4%~3.6%) | Boiling point/boiling range : -- |



Safety Data Sheet

Rev. 1

Page 4 of 6

| | |
|---|--|
| Flammability: -- | Flash point : -- |
| Decomposition temp : -- | Test method : -- |
| Autoignition temp : -- | Explosion properties : -- |
| Vapor pressure : -- | Vapor density : -- |
| Density : 1.02 g/cm ³ (20°C) (3.4%~3.6%) | Solubility : 102g/L H ₂ O (3.4%~3.6%) |
| log Kow : -- | Evaporation Rate : -- |

Section 10 - Stability & Reactivity Data

| |
|--|
| Stability : Stable under ordinary conditions of use and storage. Heat will contribute to instability. |
| Possible hazardous reactions under specific conditions : 1. Reacts with strong alkalis, strong oxidizing materials, chlorites, and hypochlorites. 2. Strong oxidizers, silver compounds, strong alkalis, chlorites |
| Conditions to avoid : Heat, ignition sources and incompatibilities. |
| Materials to avoid : Alkalis, chlorites, hypochlorites, oxidizing agents, furfuryl alcohol and silver compounds. |
| Hazardous decomposition products : Carbon dioxide and carbon monoxide may form when heated to decomposition. May also form formic acid. |

Section 11 - Toxicological Information

| |
|--|
| Route of exposure : Eye 、 Skin 、 Ingestion 、 Inhalation |
| Symptoms : sore throat, coughing, respiratory distress, headache, nausea and irritation. |
| Immediate Toxicity : <ul style="list-style-type: none">■ Skin:<ol style="list-style-type: none">1. 5~10% solution causes moderate skin irritation and possible corrodes.2. An excess of Oxalic Acid can change the skin color and change the fingernail become blue.■ Eyes: May cause severe eye irritation. May result in corneal injury.■ Inhalation:<ol style="list-style-type: none">1. Causes respiratory tract irritation.2. It may also affect behavior/central nervous system (nausea and headache)■ Ingestion:<ol style="list-style-type: none">1. May be harmful if swallowed.2. 10% solution or solid causes gastrointestinal irritation3. A less of oxalic acid causes headache and spasm; a lot of oxalic acid causes weakness, arrhythmia and low blood pressure; an excess of oxalic acid causes spasm and coma, even death● LD₅₀: 375 mg/kg (Rat, inhalation)● LC₅₀:--● Eye irritation test (rabbit): 250 ug/24H severe irritation.● Skin irritation test (rabbit): 500 mg/24H mild irritation. |
| Specific effects : no information available |



Safety Data Sheet

Rev. 1

Page 5 of 6

Section 12 - Ecological Information

| |
|--|
| Ecotoxicology : <ul style="list-style-type: none">■ LC₅₀(fish) : --■ EC₅₀(Aquatic Invertebrates) : 25mg/l/96 (water flea)■ Bioconcentration factor (BCF) : -- |
| Persistence and degradability : <ul style="list-style-type: none">■ Half-Life (Air) : --■ Half-Life (Water surface) : --■ Half-Life (Groundwater) : --■ Half-Life (Soil) : -- |
| Bioaccumulative potential : Oxalic acid is naturally contained as the potassium or calcium salt in plants, vegetables, human urine, animal urine, and kidney stones. It is also the product of the metabolism of many molds. Oxalic acid may be released to the environment in tobacco smoke, automobile exhaust, rendering, in waste streams from pulp bleaching, and by photochemical oxidations of anthropogenic compounds during long range transport. |
| Mobility in soil : <ol style="list-style-type: none">1. An estimated Koc value of 5 for oxalic acid indicates high mobility in soil.2. If released to soil, oxalic acid under environmental conditions (pH 5-9) will be in the form of the oxalate ion (pKa1 and pKa2 of 1.25 and 4.28, respectively) and is expected to leach in soil.3. Photolysis is expected to be an important fate process; the daytime persistence of oxalic acid on soil surfaces is not expected to exceed a few hours.4. Based upon screening biodegradation tests, biodegradation in soil is expected to be important. |
| Other adverse effects : <ol style="list-style-type: none">1. If released to water, oxalic acid will not volatilize, adsorb to sediment, bioconcentrate in aquatic organisms, oxidize or hydrolyze.2. The predominant aquatic fate processes are expected to be photolysis in surface waters and aerobic and anaerobic biodegradation.3. If released to the atmosphere, removal from air via wet deposition, dry deposition, and photolysis is likely to occur.4. Exposure of the general population to oxalic acid is expected to occur through consumption of foods in which it is naturally contained, inhalation of contaminated air, and consumption of contaminated groundwater.5. In occupational settings, exposure to oxalic acid may occur through inhalation of vapors and through eye and skin contact. |

Section 13 - Disposal Considerations

Methods of disposal : Follow ROC Environmental Laws and Regulations.

Section 14 - SDS Transport Information

| |
|---------------------------------------|
| UN classification number : 2449 |
| Proper D.O.T Shipping Name : ITO-Etch |
| Hazard Class : Class 8 |
| Packing Group : -- |



Safety Data Sheet

Rev. 1

Page 6 of 6

| |
|---|
| Marine pollution : NO |
| Specific precautionary transport measures and conditions : -- |

Section 15 - Regulatory Information

| |
|--|
| Regulations : |
| 1. Occupational Safety and Health Act |
| 2. Regulations for the Labelling and Hazard Communication of Hazardous Chemicals |
| 3. Road Traffic Safety Regulations |
| 4. Industrial Waste Storage and Disposal Regulations |
| 5. Assessment and Classification Administration of Hazardous Chemicals |

Section 16 - Other Information

| | |
|---|---|
| Literature references | 1. CHEMINFO Database, CCINFO Disc, 2005-3 2. RTECS Database, TOMES PLUS Disc, Vol.65 , 2005 3. HSDB Database, TOMES PLUS Disc, Vol.65 , 2005 4. ChemWatch Database, 2005-1 |
| Prepared by | Supplier : San Fu Chemical Co., Ltd. Shan Hua Plant |
| | Address : 1,Sec.1,Huanyuan E..Rd.,Liuying Dist.,Tainan, Taiwan 736. |
| | TEL : 886-6-6231821 FAX : 886-6-6231822 |
| | Name : X.Z.Lin |
| Issue date | Aug-1th 2024 Revision : 1 |
| Re-revision date | Jul-31th 2027 |
| Remarks | Symbols Explanations: "--" No information is available at this time. "/" Not applicable to this substance. |
| ■ This information above has consulted national or international papers and manufacturer or supplier's provided information. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make their own determination of the suitability of the information for their particular purposes. | |